

AUTOGREEN
A SAFE JOURNEY FORWARD

AUTOGREEN
A SAFE JOURNEY FORWARD



BEST CHOICE INTERNATIONAL TRADE CO., LTD.

Third Floor of North Anhua Mansion, No.8 Yinghua West Street,
Chaoyang District, Beijing, 100029, China

Facebook:Autogreen tyre

E-mail:info@chinese-tyres.com

Fax:86-10-64447978

Tel:86-10-64449145



Product Catalogue
www.autogreentyre.com

CONTENTS

01 PASSENGER CAR TYRE

SMART CHASER SC1
SPORT CHASER SC2
TOUR CHASER TC1
HARMONIC-SC4
SUPER SPORT CHASER SSC5
SPORTMACRO SSC3

13 SUV & LIGHT TRUCK

SPORT CRUISER SC6
SUPERSPORTPIONEER SSP8
TERRAIN CRUISER A/T TC9
TERRAIN CRUISER AT02
MUD TERRAIN CRUISER

23 COMMERCIAL VAN TYRE

SMART CRUISER SC7
SMART CRUISER SC7+
ECO CRUISER

27 RUNFLAT TYRE

SUPER SPORT CHASER SSC5

29 ALLSEASON TYRE

ALL SEASON VERSAT AS2
ALL SEASON VAN AS7

33 WINTER TYRE

ICE CRUISER AW01
SNOW CHASER AW02
SNOW CHASER 2 AW08
SNOW RANGER AW09
SNOW CRUISER AW06
SNOW RANGER 2 AW16

45 LIMITED WARRANTY



Smart Chaser

Function Description

Product Feature

- Four wide circumferential tread grooves deliver the ride stability and offer excellent performance on wet conditions. Improved grooves and bead profile design offer better ride stability, endurance and handling performance.
- The open shoulder grooves prevent aquaplaning with enhanced wet grip performance and provide excellent water evacuation. Continuous tread blocks on both shoulder give great support to enhance the ride stability when cornering.
- Variable pitch pattern and solid center ribs improve the ride stability, reduce the noise and deliver a comfortable ride.
- Special tread compound delivers excellent grip on both dry and wet roads and longer mileage.

Function Description

Speed rate: T/H/V/W

Section width: 175-225

Rim: 13'-18'

Ratio: 40-70

Designed for high performance and family passengers cars, the Smart Chaser-SC1 offers an unparalleled driving experience due to exceptional steering precision and directional stability. Autogreen have created the Smart Chaser-SC1 with an ultra-reactive tread pattern design, adapting continuously to the road - in order to deliver an optimised surface footprint.

Smart Chaser
SC1

Size	L / S	UTQG	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
175/70R13	82T	320/A/B	E	C	71	B
185/70R13	86T	320/A/A	E	C	71	B
175/65R14	82T	320/A/B	E	C	71	B
185/70R14	88H	320/A/B	E	C	71	B
175/70R14	84T	320/A/B	E	C	71	B
185/65R14	86H	320/A/A	E	C	71	B
175/65R14	82H	320/A/B	E	C	71	B
185/65R15	88H	320/A/B	E	C	71	B
205/65R15	94H	320/A/B	E	C	71	B
185/60R15	88H XL	320/A/A	E	C	71	B
195/55R15	85V	320/A/A	E	C	71	B
195/50R15	82V	320/A/A	E	C	71	B
195/65R15	91V	320/A/B	E	C	71	B
205/65R15	94V	320/A/B	E	C	71	B
185/55R15	82H	320/A/A	E	C	71	B
185/55R15	82V	320/A/A	E	C	71	B
195/60R15	88H	320/A/A	E	C	71	B
195/60R15	88V	320/A/A	E	C	71	B
205/55R16	91V	320/A/B	E	C	71	B
215/60R16	95H	320/A/B	E	C	71	B
215/55ZR16	97W XL	320/A/A	E	C	71	B
195/55R16	87V	320/A/A	E	C	71	B
195/55R16	91V XL	320/A/A	E	C	71	B
205/60R16	92H	320/A/A	E	C	71	B
205/60R16	92V	320/A/A	E	C	71	B
225/45ZR17	94W XL	320/A/A	E	C	71	B
225/50ZR17	98W XL	320/A/A	E	C	71	B
205/45ZR17	88W XL	320/A/A	E	C	71	B
215/50ZR17	95W XL	320/A/A	E	C	71	B
205/50ZR17	93W XL	320/A/A	E	C	71	B
215/55ZR17	98W XL	320/A/A	E	C	71	B
215/45ZR17	91W	320/A/A	E	C	71	B
225/40ZR18	92W XL	320/A/A	E	C	71	B

SPORT CHASER



SPORT CHASER SC2

Function Description

Speed rate: T/H/V/W
Section width: 165-225
Rim: 13'-16'
Ratio: 50-70

Wet Grip- A

Sport Chaser is a performance tyre pattern for family passenger cars. Its environment friendly designed tread pattern, lowers rolling resistance and noise emission, provides enhanced comfortable driving experience and sufficient sense of safety.

Size	L / S	UTQG	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
175/70R13	82T	500/A/A	D	A	66	A
175/65R14	82H	500/A/A	D	A	66	A
175/65R14	82T	500/A/A	D	A	66	A
175/70R14	84T	500/A/A	D	A	66	A
185/60R14	82H	500/A/A	D	A	66	A
185/65R14	86H	500/A/A	D	A	66	A
195/70R14	91H	500/A/A	D	A	67	A
★ 165/55R15	75V	500/A/A	/	/	/	/
185/55R15	82H	500/A/A	D	A	66	A
185/55R15	82V	500/A/A	D	A	66	A
185/60R15	84H	500/A/A	D	A	66	A
185/60R15	88H XL	500/A/A	D	A	66	A
185/65R15	88H	500/A/A	D	A	66	A
185/65R15	88T	500/A/A	D	A	66	A
195/60R15	88H	500/A/A	D	A	67	A
195/60R15	88V	500/A/A	D	A	67	A
195/65R15	91H	500/A/A	D	A	67	A
195/65R15	91V	500/A/A	D	A	67	A
205/60R15	91V	500/A/A	D	A	67	A
205/65R15	94H	500/A/A	D	A	67	A
205/65R15	94V	500/A/A	D	A	67	A
215/65R15	100HXL	500/A/A	D	A	67	A
185/55R16	83V	500/A/A	D	A	66	A
195/50R16	88V XL	500/A/A	D	A	67	A
195/60R16	89H	500/A/A	/	/	/	/
205/55R16	91V	500/A/A	D	A	67	A
205/55ZR16	91V	500/A/A	D	A	67	A
205/60R16	92H	500/A/A	D	A	67	A
205/60R16	92V	500/A/A	D	A	67	A
205/65R16	95H	500/A/A	D	A	67	A
205/65R16	95V	500/A/A	D	A	67	A
215/60R16	95H	500/A/A	D	A	67	A
215/60R16	95V	500/A/A	D	A	67	A
215/65R16	98H	500/A/A	D	A	67	A
225/60R16	98H	500/A/A	D	A	67	A

★ Represents new specifications

▶ Product Feature	Circumferential straight center-line and shoulder area	Optimum casing profile & special tread compound	Blocks with variable dimensions & variable angles
▶ Effect	Enhancing handling and stability at high speed	Absorbing shocks and minimizes the effect of road surface irregularities, and Improves wet traction	Better road holding, lower noise
▶ Customer Benefit	High speed safety	Comfort & safety	Comfort & quite ride

TOURCHASER



TOUR CHASER
TC1

Function Description

Speed rate: T/H
Section width: 155-185
Rim: 13'-15'
Ratio: 60-80

Economical tyre with low noise and good wet grip performance tyre pecifically developed for family passenger cars.
TourChaser Tc1 is a tyre designed to drive comfortable and fuel economical thanks to its low rolling resistance on the road.

Function Description

Product Feature

- > Seal lateral grooves of shoulder can reduce noise.
- > Irregular pitch design provides comfort and quietness.
- > Three wide grooves design , ensuring the tread pattern groove feature, improving the stability of high-speed handling.
- > Two centre ribs and reinforced grooves help improve tyre rigidity for excellent handling. Effectively reduces rolling resistance and improves fuel economy.

Size	L / S	UTQG	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
155/65R13	73T	420/A/A	D	C	69	B
155/70R13	75T	420/A/A	D	C	69	B
155/80R13	79T	420/A/A	D	C	69	B
165/65R13	77T	420/A/A	D	C	69	B
165/70R13	83T XL	420/A/A	D	C	69	B
155/65R14	75T	420/A/A	D	C	69	B
165/60R14	75H	420/A/A	D	C	69	B
165/65R14	83T XL	420/A/A	D	C	69	B
165/70R14	81T	420/A/A	D	C	69	B
185/70R14	88T	420/A/A	D	C	69	B
175/65R15	84T	420/A/A	D	C	69	B

HARMONIC



HARMONIC SC4

Function Description

Speed rate : T/H
Section width : 145-205
Rim : 12'-15'
Ratio : 60-80

The soft tread favors ride comfort and wet performance. Closed outside groove design can reduce air resonance effect of sidegrooves and the main grooves , reducing noise to some extent. The high rigidity of the outer tread provides good handling. Many steel tread grooves and ribs on a certain extent, enhance the softness of the tread to improve comfort performance, while enhancing wetand drainage performance.

- ▶ Knife-shaped groove pattern cuts off the water film and air flow; anti-wet and low noise.
- ▶ Optimized carcass outline design for driving quiet comfort.
- ▶ Lightweight profile design and application of new reinforced materials can decrease tire weight by 8%, which also help save fuel and protect environment.

Size	L / S	UTQG	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
155/70R12	73T	420AA	D	C	68	B
145/80R13	75T	420AA	D	C	68	B
155/65R13	73T	420AA	D	C	68	B
155/70R13	75T	420AA	D	C	68	B
155/80R13	79T	420AB	D	C	68	B
165/60R13	73T	420AA	D	C	70	B
165/65R13	77T	420AB	D	C	70	B
165/70R13	79T	420AA	D	C	70	B
155/65R14	75T	420AA	D	C	68	B
165/55R14	72H	420AA	D	C	70	B
165/60R14	75H	420AA	D	C	70	B
165/65R14	79T	420AB	D	C	70	B
165/70R14	81T	420AA	D	C	70	B
185/55R14	80H	420AA	D	C	70	B
185/60R14	82H	420AB	D	C	70	B
195/60R14	86H	420AA	D	C	70	B
195/70R14	91H	420AB	D	C	70	B
205/60R14	88H	420AB	D	C	70	B
205/70R14	95H	420AB	D	C	70	B
165/50R15	72T	420AA	D	C	70	B
165/65R15	81T	420AA	D	C	70	B

SUPERSPORTCHASER



SUPER SPORT CHASER SSC5

Function Description

Speed rate: V/W/Y
Section width: 195-255
Rim: 15'-18'
Ratio: 40-55

SuperSport Chaser is a ultra high performance tyre for sedans.The asymmetric tread pattern provides superior handling ability on both dry and wet road.The”mute tread” design provides lowest noise level. It is a right choice for drivers who want both handling performance and driving comfort.

Size	L / S	UTQG	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
195/50R15	82V	320/A/A	D	B	71	B
195/55R15	85V	320/A/A	D	B	71	B
195/45R16	84V XL	320/A/A	D	B	71	B
195/45ZR16	84W XL	320/A/A	D	B	71	B
195/55R16	87V	320/A/A	D	B	71	B
205/45ZR16	87W XL	320/A/A	D	B	71	B
205/50ZR16	87W	320/A/A	D	B	71	B
205/55ZR16	94W XL	320/A/A	C	B	71	B
215/55ZR16	97W XL	320/A/A	C	B	71	B
195/55RF16	87V	320/A/A	D	C	71	B
205/55RF16	91V	320/A/A	D	C	71	B
205/40ZR17	84W XL	320/A/A	D	B	71	B
205/45ZR17	88W XL	320/A/A	D	B	71	B
205/50ZR17	93W XL	320/A/A	C	B	71	B
205/55ZR17	95W XL	320/A/A	D	B	71	B
215/45ZR17	91W XL	320/A/A	C	B	71	B
215/50ZR17	95W XL	320/A/A	C	B	71	B
215/55ZR17	98W XL	320/A/A	C	B	71	B
225/45ZR17	94W XL	320/A/A	C	B	71	B
225/50ZR17	98W XL	320/A/A	C	B	72	B
225/55ZR17	101WXL	320/A/A	C	B	72	B
235/45ZR17	97W XL	320/A/A	C	B	72	B
235/50ZR17	96W	320/A/A	C	B	71	B
235/55ZR17	99W	320/A/A	C	B	71	B
205/45RF17	84V	320/A/A	D	B	71	B
205/50ZRF17	89W	320/A/A	D	B	71	B
205/55ZRF17	95W XL	320/A/A	D	B	71	B
225/45ZRF17	91W	320/A/A	D	B	71	B
225/50ZRF17	94W	320/A/A	D	B	71	B
225/55ZRF17	97W	320/A/A	D	B	71	B
215/35ZR18	84W XL	320/A/A	D	B	71	B
225/40ZR18	92W XL	320/A/A	C	B	72	B
225/45ZR18	95W XL	320/A/A	C	B	72	B
225/50ZR18	95W	320/A/A	C	B	71	B
235/40ZR18	95W XL	320/A/A	C	B	72	B
235/45ZR18	98W XL	320/A/A	C	B	72	B
235/45ZR18	98Y XL	320/A/A	C	B	72	B
235/50ZR18	97W	320/A/A	C	B	71	B
245/40ZR18	97W XL	320/A/A	C	B	72	B
245/40ZR18	97Y XL	320/A/A	C	B	72	B
245/45ZR18	100WXL	320/A/A	C	B	72	B
255/45ZR18	103Y XL	320/A/A	C	B	73	B
225/40ZRF18	88W	320/A/A	D	B	71	B
225/40ZRF18	92W XL	320/A/A	/	/	/	/
225/45ZRF18	91W	320/A/A	D	B	71	B
225/50ZRF18	95W	320/A/A	D	B	71	B
235/50ZRF18	97W	320/A/A	D	B	71	B
245/40ZRF18	97W XL	320/A/A	D	B	71	B
245/45ZRF18	96W	320/A/A	D	B	71	B
255/45ZRF18	99W	320/A/A	D	B	71	B

SPORTMACRO



SPORTMACRO
SSC3

Function Description

Speed rate: V/W/H
Section width: 205-315
Rim: 15'-20'
Ratio: 30-55

Narrow longitudinal central tread provides increased contact surface area.
Good cornering capabilities with excellent control on all kinds of road surface.
Center staggered height on central Internal tread allows for enhanced water dispersion.

- ▶ **DYNAMIC CONTROL**
Narrow longitudinal central tread provides increased contact surface area. Good cornering capabilities with excellent control on dry surfaces.
- ▶ **WATER EVACUATION TREAD**
Center staggered height on central Internal tread allows for enhanced water dispersion.
- ▶ **LOWER NOISE LEVEL**
Well distributed pattern pitch with narrow grooves helps to disperse and reduce noise by 5% compared with the last generation

Size	L/S	UTQG	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
205/50R15	89V XL	320/A/A	E	B	70	B
215/45R16	86H	320/A/A	E	B	70	B
225/55R16	99V XL	320/A/A	E	B	70	B
215/40ZR17	87W XL	320/A/A	E	B	70	B
245/45ZR17	99W XL	320/A/A	E	B	71	B
255/45R17	102V XL	320/A/A	E	B	72	B
215/40ZR18	89W XL	320/A/A	C	B	70	B
215/45ZR18	93W XL	320/A/A	E	B	71	B
235/50ZR18	101W XL	320/A/A	E	B	71	B
245/50ZR18	104W XL	320/A/A	E	B	71	B
255/35ZR18	94W XL	320/A/A	C	B	73	B
255/40ZR18	99W XL	320/A/A	C	B	73	B
265/35ZR18	97W XL	320/A/A	E	B	73	B
245/55R19	103H	320/A/A	E	B	71	B
255/40ZR19	100W XL	320/A/A	C	B	73	B
255/50ZR19	107W XL	320/A/A	E	B	71	B
275/30ZR19	96W XL	320/A/A	E	B	73	B
285/45R19	107V	320/A/A	E	B	73	B
245/40ZR20	99W XL	320/A/A	E	B	71	B
315/35ZR20	110W XL	320/A/A	C	B	74	B

SPORTCRUISER

Function Description

Speed rate: T/H/V/W
Section width: 205-285
Rim: 15'-20'
Ratio: 40-75

Sport Cruiser is a urban SUV tyre for highway and city roads.Solid circumferential center rib enhances high speed driving response and straight line stability.
The staggered pattern with variable-pitch reduces tread noise and provides more traction wear.
The large stabilized shoulder blocks with small sipes improve traction and provide precise control on both dry and wet roads.

SPORT CRUISER
SC6

Size	L / S	UTQG	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
215/70R15	98H	420/A/A	D	C	70	B
225/75R15	102T	420/A/A	D	C	70	B
215/75R15	100T	420/A/A	D	C	70	B
205/70R15	96H	420/A/A	D	C	70	B
215/70R15	98T	420/A/A	D	C	70	B
215/75R15	100H	420/A/A	/	/	/	/
235/75R15	105T	420/A/A	D	C	70	B
235/60R16	100V	420/A/A	D	C	70	B
255/70R16	111H	420/A/A	D	C	71	B
215/70R16	100H	420/A/A	D	C	70	B
245/70R16	107H	420/A/A	D	C	71	B
265/70R16	112H	420/A/B	D	C	71	B
235/65R16	103H	420/A/A	D	C	70	B
265/75R16	116H	420/A/A	D	C	71	B
245/75R16	109H	420/A/A	D	C	71	B
235/70R16	106H	420/A/A	D	C	70	B
235/60R16	100H	420/A/A	D	C	70	B
225/70R16	103H	420/A/A	D	C	70	B
215/60R17	96H	420/A/A	D	C	70	B
265/70R17	115H	420/A/A	/	/	/	/
245/70R17	110T	420/A/A	D	C	71	B
235/65R17	104H	420/A/A	D	C	70	B
245/65R17	107H	420/A/B	D	C	71	B
265/65R17	112H	420/A/B	D	C	71	B
235/60R17	102H	420/A/A	D	C	70	B
265/70R17	115T	420/A/B	D	C	71	B
235/60R17	102V	420/A/A	D	C	70	B
265/65R17	112T	420/A/B	D	C	71	B
255/65R17	110T	420/A/A	D	C	71	B
225/65R17	102H	420/A/A	D	C	70	B
225/60R17	99V	420/A/A	D	C	70	B
215/65R17	99T	420/A/A	D	C	70	B
215/55R18	99V XL	420/A/A	D	C	70	B
265/65R18	112T	420/A/B	D	C	71	B
275/65R18	114T	420/A/B	D	C	71	B
245/60R18	105H	420/A/A	D	C	71	B
235/55R18	100V	420/A/B	D	C	70	B
225/60R18	100H	420/A/A	D	C	70	B
225/55R18	98V	420/A/A	D	C	70	B
265/60R18	110H	420/A/B	D	C	71	B
225/55R18	98H	420/A/A	/	/	/	/
235/60R18	107V XL	420/A/B	D	C	70	B
255/55R18	109V XL	420/A/A	D	C	71	B
235/50R19	99V	420/A/A	D	C	70	B
225/55R19	99V	420/A/A	D	C	70	B
235/55R19	101V	420/A/A	D	C	70	B
275/60R20	114V	420/A/B	/	/	/	/
275/40ZR20	106Y XL	420/A/A	D	C	72	B
275/40ZR20	106W XL	420/A/A	D	C	72	B
275/60R20	114H	420/A/A	/	/	/	/
275/45R20	110V XL	420/A/A	D	C	72	B
275/55R20	117V XL	420/A/A	D	C	72	B
285/50R20	116V XL	420/A/B	D	C	72	B
245/45ZR20	103W XL	420/A/A	D	C	71	B
265/50R20	111V XL	420/A/A	D	C	71	B
275/55R20	117H XL	420/A/A	D	C	72	B

★ Represents new specifications

SUPERSPORT PIONEER



Super Sport Pioneer
SSP8

Function Description

Speed rate: V/W
Section width: 235-305
Rim: 22'-26'
Ratio: 25-45

Directional pattern specially designed for refitted vehicle. Wide tread and large shoulder blocks provide outstanding handling performance and stability.
Small grooves within pattern blocks reduce rigidity and enhance grip performance, which will assure your high speed safety.
Wide and deep transverse grooves with bamboo type longitudinal rib design enhance control performance and provide perfect handling performance.

▶ Product Feature	Wide tread and the large shoulder blocks	The small grooves within the pattern blocks	Wide and deep transverse grooves with bamboo type longitudinal rib design
▶ Effect	Provide outstanding control performance	Reduce the rigidity difference between each pattern blocks and enhance grip performance	Enhance the control performance
▶ Customer Benefit	Drive stability	High speed safety	Perfect handling

Size	L / S	UTQG
235/30ZR22	90W XL	420/A/A
245/30ZR22	92W XL	420/A/A
255/30ZR22	95W XL	420/A/A
265/30ZR22	97W XL	420/A/A
265/35R22	102V XL	420/A/A
265/40R22	106V XL	420/A/B
285/35R22	106V XL	420/A/A
295/25ZR22	97W XL	420/A/A
305/40R22	114V XL	420/A/A
305/45R22	118V XL	420/A/A
255/30ZR24	97W XL	420/A/A
275/25ZR24	96W XL	420/A/A
275/30ZR24	101W XL	420/A/A
295/35R24	110V XL	420/A/A
305/35R24	112V XL	420/A/A
295/30ZR26	107W XL	420/A/A
305/30ZR26	109W XL	420/A/A

TERRAIN CRUISER A/T

TERRAIN CRUISER A/T TC9

Function Description

Speed rate: Q/R/S/T

Section width: 215-285

Rim: 15'-18'

Ratio: 65-85

Terrain Cruiser is premium On-/Off-Road All-Terrain tyre developed for light truck drivers looking for combine on-road competence with off-road versatility.

▶ Product Feature	Staggered and big shoulder blocks	Strong carcass & jointless mono-strand bead bundle	Deep-biting and self-cleaning tread lugs design
▶ Effect	Extra traction in sand, mud, loose soil and snow	Better reliable operation on rough terrain	Better traction under extreme conditions
▶ Customer Benefit	Excellent traction on and off-road	Safety and excellent traction	Extra bite on rough terrain

Size	L/S	Load Range	Ply Rating	UTQG
LT215/75R15	106/103S	/	8PR	/
LT235/75R15	104/101S	C	6PR	/
LT31x10.50R15	109S	C	6PR	/
LT215/85R16	115/112Q	E	10PR	/
LT225/75R16	115/112S	E	10PR	/
LT235/85R16	120/116Q	E	10PR	/
LT245/75R16	120/116S	E	10PR	/
LT265/75R16	123/120S	E	10PR	/
LT285/75R16	126/123R	E	10PR	/
P215/70R16	100T	/	/	440/A/B
P225/70R16	107T XL	/	/	440/A/B
P245/70R16	106S	/	/	440/A/B
P255/70R16	111T	/	/	440/A/B
P265/70R16	111T	/	/	440/A/B
LT235/80R17	120/117R	E	10PR	/
LT245/70R17	119/116R	E	10PR	/
LT245/75R17	121/118R	/	10PR	/
LT265/70R17	121/118S	E	10PR	/
LT285/70R17	121/118R	/	10PR	/
P265/65R17	112T	/	/	440/A/B
P265/70R17	113T	/	/	440/A/B
LT265/70R18	124/121S	E	10PR	/
LT275/65R18	123/120S	E	10PR	/

★ Represents new specifications

TERRAIN CRUISER AT02



TERRAIN CRUISER AT02

Function Description

Speed rate: T/S

Section width: 215-285

Rim: 15'-18'

Ratio: 60-75

The TERRAIN CRUISER AT02 is designed for drivers who want a tyre that can handle any terrain. The tyre is made from a durable rubber compound that provides excellent traction on both wet and dry surfaces. The tyre's tread pattern is designed to provide maximum grip on loose surfaces like gravel and mud. The tyre also features a unique shoulder design that helps to improve handling and stability on paved roads.

The sidewall is reinforced with a thick rubber compound that helps to protect the tyre from punctures and cuts. This is especially important for drivers who frequently drive on rough terrain. The tyre also features a serrated shoulder design that helps to improve traction on snow and ice. This feature is particularly useful for drivers who live in areas with harsh winter weather.

Is also designed to provide a comfortable ride. The tyre's advanced construction helps to reduce road noise and vibrations which makes it a great choice for drivers who spend a lot of time on the highway.

Size	L/S	Ply Rating	UTQG
215/70R16 RWL	100T	4PR	/
225/65R17 RWL	102T	4PR	/
245/70R16 RWL	111T	4PR	/
265/60R18 RWL	110T	4PR	/
265/65R17 RWL	112T	4PR	/
265/70R16 RWL	112T	4PR	/
265/70R17 RWL	115T	4PR	/
31x10.50R15LT RWL	109S	6PR	/
LT235/75R15 RWL	104/101S	8PR	/
LT245/65R17 RWL	117/114S	10PR	/
LT245/75R16 RWL	120/116S	10PR	/
LT265/75R16 RWL	123/120S	10PR	/
LT285/75R16 RWL	126/123S	10PR	/

MUD TERRAIN CRUISER



Function Description

Speed rate : Q
Section width : 215-285
Rim : 15'-18'
Ratio : 60-75

Attractive direction pattern. Large tread blocks provide stable traction on various gravel roads, and center blocks are for maximum traction in tough mud road condition. Provides strong traction on muddy roads. This pattern design are used to remove the dirt stuck to the pattern groove.

Size	L / S	Ply Rating	UTQG
LT31x10.50R15 RWL	109Q	6PR	/
LT215/75R15 RWL	106/103Q	8PR	/
LT235/85R16 RWL	120/116Q	10PR	/
LT245/75R16 RWL	120/116Q	10PR	/
LT265/70R16 RWL	117/114Q	8PR	/
LT265/75R16 RWL	123/120Q	10PR	/
LT285/75R16 RWL	126/123Q	10PR	/
LT265/65R17 RWL	120/117Q	10PR	/
LT265/70R17 RWL	121/118Q	10PR	/

MUD TERRAIN CRUISER

SMART CRUISER



SMART CRUISER
SC7

Function Description

Speed rate: Q/R/S/T
Section width: 175-235
Rim: 14'-16'
Ratio: 65-75

Smart Cruiser is used on small and medium commercial trucks, vans and pickups. It is for drivers who want a combination of heavy-duty load capacity, long mileage, even wear and traction on dry and wet roads.

▶ Product Feature	Wide base tread	Mono-strand, jointless bead bundle	State of the tread compound
▶ Effect	Increasing road grip and better traction	Providing accurate fit to the rim	Improves wet & dry traction and reduces wear
▶ Customer Benefit	Drive stability & long life	Smooth and stable drive	Safety & long life

Size	L / S	Ply Rating	Load Range	Labeling			
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
175/65R14C	90/88Q	6PR	/	D	B	71	B
185R14C	102/100R	8PR	D	D	B	71	B
195R14C	106/104R	8PR	D	D	B	71	B
215/75R14C	104/101R	8PR	D	D	B	72	B
195/70R15C	104/102R	8PR	D	D	B	71	B
195R15C	106/104R	8PR	/	D	B	71	B
205/70R15C	106/104S	8PR	/	D	B	71	B
215/70R15C	109/107S	8PR	/	D	B	72	B
225/70R15C	112/110R	8PR	D	D	B	72	B
185/75R16C	104/102R	8PR	D	D	B	71	B
195/65R16C	104/102T	8PR	D	D	B	71	B
195/75R16C	107/105R	8PR	/	D	B	71	B
205/65R16C	107/105T	8PR	D	D	B	71	B
215/65R16C	109/107T	8PR	D	D	B	72	B
225/65R16C	112/110T	8PR	D	D	B	72	B
235/65R16C	115/113T	8PR	D	D	B	72	B

SMART CRUISER



SMART CRUISER SC7+

Function Description

Speed rate: N/T
Section width: 155-215
Rim: 12'-16'
Ratio: 70

Size	L / S	Ply Rating	Load Range	Labeling			
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
155R12C	88/86N	/	/	C	C	70	B
215/70R16C	108/106T	/	/	C	C	69	B

ECO CRUISER



Eco Cruiser

Function Description


Speed rate: S
Section width: 185
Rim: 15'
Ratio: 65

Size	L / S	UTQG	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
185/65R15C	97/95 S	/	D	C	71	B


RUN-FLAT TYRE

Advanced Run-Flat Technology

RUN-FLAT TYRE



NORMAL TYRE



Function Description

Speed rate: V/W/Y
Rim: 16'-20'
Section width: 195-275
Ratio: 35-55

*Reduced danger and hassle.
Drive after a loss of some or
all inflation pressure for up
to 80km at maximum speed
up to 80km/h. Compatible with
standard wheel rims.
No need for a spare tyre.*



- ▶ Product Feature
- ▶ Effect
- ▶ Customer Benefit

Reinforced sidewalls to support the vehicle in the event of air pressure loss.

In case of tyre pressure loss, the run-flat tyre can continue your journey up to 80 kilometers at a maximum speed of 80 km/h.

Increasing safety.

Size	L / S	UTQG	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
195/55RF16	87V	320/A/A	D	C	71	B
205/55RF16	91V	320/A/A	D	C	71	B
205/45RF17	84V	320/A/A	D	B	71	B
205/50ZRF17	89W	320/A/A	D	B	71	B
205/55ZRF17	95W XL	320/A/A	D	B	71	B
225/45ZRF17	91W	320/A/A	D	B	71	B
225/50ZRF17	94W	320/A/A	D	B	71	B
225/55ZRF17	97W	320/A/A	D	B	71	B
225/40ZRF18	88W	320/A/A	D	B	71	B
225/40ZRF18	92W XL	320/A/A	/	/	/	/
225/45ZRF18	91W	320/A/A	D	B	71	B
225/50ZRF18	95W	320/A/A	D	B	71	B
235/50ZRF18	97W	320/A/A	D	B	71	B
245/40ZRF18	97W XL	320/A/A	D	B	71	B
245/45ZRF18	96W	320/A/A	D	B	71	B
255/45ZRF18	99W	320/A/A	D	B	71	B
225/35ZRF19	88Y XL	320/A/A	D	B	71	B
225/40ZRF19	93Y XL	320/A/A	D	B	71	B
225/45ZRF19	96W XL	320/A/A	D	B	71	B
245/40ZRF19	98Y XL	320/A/A	D	B	71	B
245/45ZRF19	102Y XL	320/A/A	D	B	71	B
255/35ZRF19	92Y	320/A/A	D	B	71	B
275/35ZRF19	96Y	320/A/A	/	/	/	/
275/35ZRF19	96W	320/A/A	D	B	71	B
255/45ZRF20	101W	320/A/A	D	B	71	B

SUPERSPORTCHASER
RUN-FLAT TYRE
SSC5

ALL SEASON VERSAT

Product Feature

- Special compound for all season tyre tread can ensure the comprehensive performance in summer and winter.
- Directional pattern design can maintain good high-speed stability, better snow discharge and water drainage performance.
- Optimize pitch width and pitch arrangement can reduce noise.

Function Description

Speed rate: T/H/V/W

Rim: 13'-18'

Section width: 155-245

Ratio: 40-80

All Season Versat AS2 combine reliable winter safety with the precise driving stability and firm handing of our summer tyres.

The AS2 Weatherproof product offers first class safety and durability for year round use.

All sizes have the Snowflake symbol (3PMSF),which indicates that the the tyres have been officially approved for winter use.

ALL SEASON VERSAT
AS2

Size	L / S	Labeling			
		Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
155/70R13	75T /	D	D	67	A
155/80R13	79T /	D	D	67	A
155/65R14	75T /	D	D	67	A
165/70R14	81T /	D	D	67	A
165/70R13	79 T /	D	D	67	A
175/65R14	82T /	C	D	67	A
175/70R14	88T XL	C	D	67	A
175/65R15	84H /	C	D	67	A
185/55R15	86H XL	C	C	67	A
185/60R15	88H XL	C	C	67	A
185/65R15	88H /	C	C	67	A
185/60R14	82H /	C	C	67	A
195/60R15	88H /	C	C	67	A
195/65R15	91H /	C	C	67	A
195/65R15	95H XL	C	C	67	A
195/55R16	91V XL	C	C	67	A
195/50R15	82V /	C	C	67	A
195/45R16	84V XL	C	C	70	B
205/55R16	91V /	C	C	67	A
205/55R16	94V XL	C	C	67	A
205/60R16	96V XL	C	C	67	A
205/45ZR17	88W XL	C	C	67	A
205/50ZR17	93W XL	C	C	67	A
215/45ZR17	91W XL	C	C	67	A
215/50ZR17	95W XL	C	C	67	A
215/65R15	96H /	C	C	67	A
225/45ZR17	94W XL	C	C	70	B
225/50ZR17	98W XL	C	C	70	B
215/55ZR17	98W XL	C	C	70	B
215/45R16	90V XL	C	C	67	A
215/55R16	97V XL	C	C	70	B
215/70R16	100H /	C	C	70	B
215/60R17	100V XL	C	C	70	B
215/55R18	99V XL	C	C	70	B
225/55ZR17	101W XL	C	C	70	B
235/45ZR17	97W XL	C	C	70	B
235/55ZR17	103W XL	C	C	70	B
245/45ZR17	99W XL	C	C	70	B
225/40ZR18	92W XL	C	C	70	B
225/45R18	95V XL	C	C	70	B

ALL SEASON VAN



ALL SEASON VAN
AS7

Function Description

Speed rate: R/T
Rim: 15'-16'
Section width: 195-235
Ratio: 65-75

ALL SEASON VAN-AS7 tyre that delivers the traction, durability and performance you need in demanding conditions. Special pattern design enables to enjoy flexible operation and control on all kinds of roads.

Product Feature	> The wide groove and asymmetrical pattern design	The Soft Tread compound and enhanced sidewall stiffness comprehensively	The reinforced bars and jagged design
Effect	> bring excellent handling stability and outstanding drainage performance.	improve the performance of tyres on snowy and icy roads	provide excellent braking performance
Customer Benefit	> Drive safety	Better driving experience	Drive safety

Size	L / S	Labeling			
		Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
195/70R15C	104/102R	D	C	71	B
215/70R15C	109/107R	C	C	71	B
195/65R16C	104/102T	C	C	71	B
195/75R16C	107/105T	C	C	71	B
205/65R16C	107/105R	C	C	71	B
215/65R16C	109/107R	C	C	71	B
215/75R16C	113/111R	C	C	71	B
225/65R16C	112/110R	C	C	71	B
225/75R16C	121/120R	C	C	71	B
235/65R16C	115/113R	C	C	71	B

ICE CRUISER

Product Feature

- > The bionic design of wall lizard feet improves the adhesion of the ice and snow surface, with superior driving performance.
- > Ultra-low temperature compound keeps tire soft even at 70℃ below zero, improving the grip on ice road.
- > The unique "V" pattern design of central rib improves the stability of straight driving on the snow and ice road, ensuring the safety of driving.
- > The tread with nails shortens the ice brake distance by 5%, and the snowfield brake distance by 2%.

Function Description

Speed rate: T/Q/R/S/H

Rim: 14'-20'

Section width: 175-275

Ratio: 40-75

Ice Cruiser
AW01

Size	L / S	Ply Rating	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
175/65R14	82T SL	/	D	C	71	B
185/60R14	82T SL	/	D	C	71	B
185/65R14	86T SL	/	D	C	71	B
185/70R14	88T SL	/	D	C	71	B
185/60R15	84T SL	/	D	C	71	B
185/65R15	88T SL	/	D	C	71	B
195/55R15	85T SL	/	D	C	72	B
195/60R15	88T SL	/	D	C	72	B
195/65R15	91T SL	/	D	C	72	B
205/65R15	94T SL	/	D	C	72	B
205/70R15	96T SL	/	D	C	72	B
195/55R16	87T SL	/	D	C	72	B
205/55R16	91T SL	/	D	C	72	B
205/60R16	92T SL	/	D	C	72	B
205/65R16	95T SL	/	D	C	72	B
215/60R16	95T SL	/	D	C	72	B
215/65R16	98T SL	/	D	C	72	B
215/70R16	100T SL	/	D	C	72	B
245/70R16	107Q SL	/	D	C	72	B
215/50R17	95T XL	/	D	C	72	B
215/55R17	94T SL	/	D	C	72	B
215/60R17	96T SL	/	D	C	72	B
225/45R17	94T XL	/	/	/	/	B
225/50R17	94T SL	/	D	C	72	B
225/55R17	97T SL	/	D	C	72	B
225/55R17	101T SL	/	D	C	72	B
225/60R17	99T SL	/	D	C	72	B
225/65R17	102T SL	/	D	C	72	B
235/65R17	104Q SL	/	D	C	72	B
265/65R17	112Q SL	/	D	C	73	B
215/55R18	95T SL	/	/	/	/	/
225/40R18	92H xI	/	/	/	/	/
225/45R18	95T XL	/	/	/	/	/
225/55R18	98T SL	/	D	C	72	B
225/60R18	100Q SL	/	D	C	72	B
235/55R18	100T SL	/	D	C	72	B
235/60R18	103Q SL	/	D	C	72	B
265/60R18	110Q SL	/	D	C	73	B
225/55R19	103T XL	/	/	/	/	/
235/55R19	101T SL	/	/	/	/	/
275/60R20	119S XL	/	E	C	73	B
185/75R16C	100/97Q	8	D	A	73	B
185/75R16C	104/102R	8	/	/	/	/
195/75R16C	96/93Q	6	D	A	73	B
225/75R16LT	115/112Q	10	D	A	73	B
245/75R16LT	120/116Q	10	D	A	73	B
265/70R17LT	121/118Q	10	D	A	73	B

SNOW CHASER



Function Description

Speed rate: T/S
Rim: 14'-21'
Section width: 185-275
Ratio: 40-75

Snow chaser AW02
The non-symmetrical pattern improves the stability when cornering and the anti-wear ability of the outer part.
Application of ultra-low temperature compound helps ensure the softness of tire and driving safety even in -70°C condition.
3D kerf design can reduce the displacement by 8% and improve the grip.
Chamfer edge design can effectively reduce the noise in driving.

Size	L / S		Ply Rating	Labeling			
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
185/70R14	88T	SL	/	D	B	70	B
205/65R15	94T	SL	/	D	B	71	B
215/70R15	98S	SL	/	D	B	71	B
215/75R15	100S	SL	/	D	B	71	B
235/75R15	105S	SL	/	D	B	71	B
195/60R16	89S	SL	/	D	B	71	B
215/70R16	100T	SL	/	D	B	71	B
235/70R16	106T	SL	/	D	B	71	B
245/70R16	107S	SL	/	D	B	71	B
245/75R16	111S	SL	/	D	B	71	B
265/70R16	112S	SL	/	D	B	73	B
215/50R17	91T	SL	/	D	B	71	B
215/60R17	100T	XL	/	D	B	71	B
225/60R17	99T	SL	/	D	B	71	B
225/65R17	102T	SL	/	D	B	71	B
235/60R17	102S	SL	/	D	B	71	B
235/65R17	108T	XL	/	D	B	72	B
245/45R17	99T	XL	/	D	B	73	B
245/65R17	107S	SL	/	D	B	71	B
265/65R17	112S	SL	/	D	B	72	B
225/55R18	98S	SL	/	D	B	71	B
225/60R18	100S	SL	/	D	B	71	B
235/40R18	95T	XL	/	D	B	72	B
235/45R18	94T	SL	/	D	B	71	B
235/55R18	100S	SL	/	D	B	71	B
235/60R18	103T	SL	/	D	B	71	B
245/50R18	104T	XL	/	D	B	73	B
245/60R18	105S	SL	/	D	B	71	B
225/55R19	99T	SL	/	D	B	71	B
235/55R19	101S	SL	/	D	B	71	B
245/45R19	102T	XL	/	D	B	73	B
245/55R19	103T	SL	/	D	B	71	B
255/45R19	104T	XL	/	D	B	73	B
255/50R19	107T	XL	/	D	B	72	B
255/55R19	111T	XL	/	D	B	73	B
265/50R19	110T	XL	/	D	B	73	B
275/40R19	105T	XL	/	D	B	73	B
245/40R20	99T	XL	/	D	B	73	B
245/45R20	103T	XL	/	D	B	73	B
245/50R20	102T	SL	/	D	B	71	B
255/45R20	105T	XL	/	D	B	73	B
275/35R20	102T	XL	/	D	B	73	B
275/50R20	113T	XL	/	D	B	73	B
265/45R21	108T	XL	/	D	B	73	B
275/45R21	110T	XL	/	D	B	73	B

SNOW CHASER 2



Function Description

Speed rate: T/H
Rim: 13'-19'
Section width: 155-245
Ratio: 35 -80

Product Feature

- > The unique "V" pattern design of central rib improves the stability of straight driving on the snow and ice road, ensuring the safety of driving.
- > Application of ultra-low temperature compound helps ensure the softness of tire and driving safety even in -70 °C condition.
- > The zigzag design of tire edge can effectively remove the ice water film and improve the stability.
- > Water suction bag is designed to store and evacuate the water rapidly so as to enhance the ice and snow performance.

Size	L / S		Ply Rating	Labeling			
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
155/70R13	75T	/	/	E	C	71	B
155/80R13	79T	/	/	E	C	71	B
165/70R13	79T	SL	/	D	C	71	B
175/70R13	82T	/	/	D	C	71	B
155/65R14	75T	SL	/	E	C	71	B
165/65R14	79T	SL	/	D	C	71	B
165/70R14	81T	SL	/	D	C	71	B
175/65R14	82T	/	/	D	C	71	B
175/70R14	84T	SL	/	D	C	71	B
185/60R14	82T	SL	/	D	C	71	B
185/65R14	86T	/	/	D	C	71	B
175/65R15	84T	/	/	D	C	71	B
185/55R15	82T	SL	/	D	C	71	B
185/60R15	84T	/	/	D	C	71	B
185/60R15	88T	XL	/	D	C	71	B
185/65R15	88T	/	/	D	C	71	B
195/55R15	85T	/	/	D	C	72	B
195/60R15	88T	/	/	D	C	72	B
195/65R15	91T	/	/	D	C	72	B
195/55R16	87H	/	/	D	C	72	B
205/55R16	91H	/	/	D	C	72	B
205/55R16	91T	/	/	D	C	72	B
205/60R16	92H	/	/	D	C	72	B
205/60R16	96H	/	/	D	C	72	B
215/55R16	93H	SL	/	D	C	72	B
215/60R16	95T	/	/	D	C	72	B
215/60R16	99H	/	/	D	C	72	B
215/65R16	102H	XL	/	D	C	72	B
225/55R16	95H	SL	/	D	C	72	B
205/50R17	93H	XL	/	D	C	72	B
215/55R17	98T	XL	/	D	C	72	B
225/45R17	94H	XL	/	D	C	72	B
225/50R17	94H	/	/	D	C	72	B
225/55R17	97H	SL	/	D	C	72	B
235/45R17	97H	XL	/	D	C	72	B
225/40R18	92H	XL	/	D	C	72	B
225/45R18	95H	XL	/	D	C	72	B
245/45R18	96H	/	/	D	C	72	B
235/35R19	91H	XL	/	D	C	72	B

Snow Chaser 2
AW08

SNOW RANGER



Snow Ranger
AW09

Function Description

Speed rate: T/H/V
Rim: 17'-20'
Section width: 215-315
Ratio: 35 - 55

Product Feature

- > Wide and straight longitudinal groove design improves performance on wet ground.
- > Special studless tread compound greatly improves braking performance in winter.
- > Interval arranged lateral groove design in carter part increases grip ability on snow and ice road, guaranteeing safe handling performance.
- > Optimized pitch arrangement design reduces the noise to minimum level.

Size	L / S		Ply Rating	Labeling			
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
215/45R17	91H	XL	/	D	C	72	B
235/55R17	99T	SL	/	D	C	72	B
215/55R18	95H	SL	/	D	C	72	B
235/50R18	97H	SL	/	D	C	72	B
245/40R18	93H	SL	/	D	C	72	B
255/55R18	109T	XL	/	D	C	73	B
235/50R19	99H	SL	/	D	C	72	B
235/55R20	102H	SL	/	D	C	72	B
255/50R20	109H	XL	/	D	C	73	B
255/55R20	107H	SL	/	D	C	73	B
275/40R20	106V	XL	/	D	C	73	B
275/45R20	110H	XL	/	D	C	73	B
315/35R20	106T	SL	/	D	C	74	B

SNOW CRUISER



Function Description

Speed rate: T/R
Rim: 15'-16'
Section width: 185-235
Ratio: 60-75

Product Feature

- Design of different types of kerf can improve the grip of tires in icy and snowy weather, and improve the braking performance on frozen road.
- Design of wide lateral groove and open shoulder, help to quickly drain ice and snow, improve tire traction, and avoid sideslip.
- Design of the main groove in the form of a broken line increases the contact area between the tire and snow, and improves the snow performance of the tire.
- Stronger carcass construction helps effectively improve endurance and loading performance. Excellent durability, even with heavy loads.

Size	L / S	Ply Rating	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
195/70R15C	104/102R	8	C	A	72	B
215/65R15C	104/102R	6	D	A	72	B
215/70R15C	109/107R	8	C	A	72	B
225/70R15C	112/110R	8	C	A	72	B
195/60R16C	99/97T	6	D	A	72	B
185/75R16C	104/102R	8	/	/	/	/
195/75R16C	107/105R	8	D	A	72	B
205/65R16C	107/105R	8	C	A	72	B
205/75R16C	110/108R	8	C	A	72	B
215/65R16C	109/107R	8	C	A	72	B
215/75R16C	113/111R	8	C	A	72	B
225/65R16C	112/110R	8	C	A	72	B
225/75R16C	121/120R	10	C	A	72	B
235/65R16C	115/113R	8	C	A	72	B

Snow Cruiser
AW06

SNOW RANGER 2



Function Description

Speed rate: T/S
Rim: 17'-22'
Section width: 205-285
Ratio: 40-70

Snow Ranger 2
AW16

Product Feature

- Design of different types of kerf can improve the grip of tires in icy and snowy weather, and improve the braking performance on frozen road.
- Design of wide lateral groove and open shoulder, help to quickly drain ice and snow, improve tire traction, and avoid sideslip.
- Design of the main groove in the form of a broken line increases the contact area between the tire and snow, and improves the snow performance of the tire.
- Stronger carcass construction helps effectively improve endurance and loading performance. Excellent durability, even with heavy loads.

Size	L / S	Ply Rating	Labeling			
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade
205/55R17	95T	/	/	/	/	/
245/70R17	110S	/	/	/	/	/
265/70R17	115S	/	/	/	/	/
215/50R18	92T	/	/	/	/	/
225/50R18	99T	/	/	/	/	/
235/65R18	106S	/	/	/	/	/
265/60R18	110S	/	/	/	/	/
265/65R18	114S	/	/	/	/	/
285/60R18	116S	/	/	/	/	/
225/45R19	96T	/	/	/	/	/
235/60R19	103S	/	/	/	/	/
285/50R20	112T	/	/	/	/	/
235/50R20	100T	/	/	/	/	/
255/40R20	97T	/	/	/	/	/
275/50R21	110T	/	/	/	/	/
265/40R22	106T	/	/	/	/	/

A SAFE JOURNEY FORWARD

AUTOGREEN PASSENGER & LIGHT TRUCK
STANDARD LIMITED WARRANTY

1.WHAT IS WARRANTED AND WHO IS ELIGIBLE UNDER THIS WARRANTY?

Best Choice International Trade Co., LTD., headquartered at 3rd Floor, North Anhua Building, No. 8 Yinghua West Street, Chaoyang District, Beijing, China 100029 ("Best Choice"), warrants to the original consumer tyre purchaser that all AUTOGREEN passenger and light truck tyres bought either directly or through an authorized AUTOGREEN dealer, which are mounted on cars or light trucks and become unserviceable for any reason within the manufacturer' s control. AUTOGREEN consumer products are warranted to be free from defects in materials and workmanship subjected terms, conditions and limitations as stated below. If our examination of a warrant-able product determines that the product has failed due to defect in materials or workmanship, we will make a reasonable allowance toward the purchase price of a new product or other adjustment within our discretion. Adjustments will be made on a pro-rate basis determined by the amount of usage or service received from the product and will be based on the most recent purchase price (proof of purchase is required). This warranty is not transferable.

TERMS, CONDITIONS AND LIMITATIONS

Under no circumstances is this limited warranty a representation that a tyre failure cannot occur. This limited warranty is only applicable to products sold and used on consumer vehicles.
Passenger tyres are under 4 years from date of production.
Light Truck tyres (LT designation) are under limited warranty if less than 4 years from date of production, or less than 3 years from date of purchase (purchase proof is needed).
The life of the original usable tread has worn down to 2/32" remaining (worn down to the wear bar indicators in the tread grooves).

- A.**Within the first 2/32" of original usable tread, Best Choice will replace such tyre with a comparable AUTOGREEN new tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer.
- B.**Beyond the first 2/32" of the original usable tread, a pro rate credit will be given toward the purchase of a comparable new AUTO- GREEN tyre. Applicable taxes, costs of mounting and balancing and other service charges are payable by the consumer.
Example: Amount of credit will be calculated by the following formula:
CR = Remaining Tread Depth= 7 = 56% x \$75.00= \$42 Credit **
Original Usable Tread Depth 11
- ** refer to Adjustment credit Percentage table to obtain actual percentage amount when calculating.
- C.**Adjustment on out-of-round or out-of-balance conditions is allowed only during the first 1/32" of the original tread depth within the first 6 months from the date of purchase , supported with proof of the out-of-round or out-of-balance conditions for every passenger or light truck tyre. Best Choice will replace such tyre with a comparable new AUTOGREEN tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer owner. A set of 4 tyres from the same vehicle will not be accepted for out-of-round or out-of-balance claims.

WHAT IS NOT COVERED?

- A.**Tyre adjustments will be based on the remaining tread depth. Tyres worn to 2/32" tread depth or to the tread wear indicator bars are deemed to have served their full useful tread life and are not adjustable.
- B.**Tyre returned for out-of-round or ride disturbance conditions beyond 2/32" of wear will not be considered for adjustment.
- C.**Tyres marked "NA" (Non-Adjustable) specifically are excluded from this limited warranty.
- D.**The cost applicable to taxes, mounting, balancing and any other service charges are excluded.
- E.**Tyre returned as a set will not be considered. All tyres must have a warrantable condition.
- F.**Tyres that have been altered in any way including retreaded, altered and repaired improperly to Rubber manufactures Association standards or with section repairs or with self-valancing plug are excluded from the limited warranty.
- G.**Tyres without DOT number are excluded from the limited warranty.
- H.**Tyres with tyre fill, sealant, balancing materials, fillers inside the tyre, tyres notched, buffed, re-grooved or cut are excluded from the limited warranty.
- I.**Ozone or weather cracking after 2 years from the date of purchase

- J.**Tyre without production date.
- K.**Loss of time, or use, inconvenience, or any incidental or consequential damage.
- L.**Tyres that have been misapplied due to insufficient speed rating, undersized, or oversized.
- M.**Tyres that have become unserviceable due to chemical corrosion, vandalism, chains and flat spotting.
- N.**Tyres involved in race activities.
- O.**Uneven wear characteristics caused by mechanical irregularity in the vehicle such as misalignment, over inflation and under-inflation
- P.**Uneven or rapid wear more than 2/32nds across the tread on the same tyre
- Q.**Tyre damage or irregular wear due to road hazard, including punctures, cuts, impact break, bulge, snag, stone drill and car collision.
- R.**Continued use while run flat or acute under-inflation.
- S.**Improper use, without limitation, improper inflation, overloading, allocated to improper rim, tyre/wheel balance, worn suspension components, improper mounting or dismounting, misuse, misapplication and fire.

OWNERS OBLIGATIONS

- A.**Present tyre to the AUTOGREEN dealer from whom you bought this tyre.
- B.**Complete and sign an AUTOGREEN adjustment claim form at AUTOGREEN dealer you bought the claimed tyres.
- C.**Pay the amounts due for a new tyre, less the amount of the credit, including taxes, mounting, balancing, valve stem if needed and any other service that you might require.

2. REPLACEMENT WARRANTY

If you receive a replacement tyre under the AUTOGREEN warranty, it will be covered by the manufacturer' s warranty and the supplemental limited warranty that Best Choice International Trade Co. LTD gives on that tyre.
This is the only expressed warranty given by Best Choice International Trade Co. LTD applicable to AUTOGREEN replacement tyres. Best Choice does not make any other express warranty or implied warranty of merchant ability or fitness for a particular purpose.
Best Choice does not authorize any other people, including authorized dealers, to change this warranty or create any other obligation in connection with AUTOGREEN products. Best Choice will not do anything other than what is stated in this warranty if a defect is found to exist in an AUTOGREEN replacement radial tyre. All other remedies are excluded, including any obligation or liability on the part of Best Choice for consequential or incidental damages (such as loss of use of car, loss of time or inconvenience) arising out of defect.

Legal Rights:

All implied warranties, included any warranty of merchantability or fitness for a particular purpose, are expressly limited to the duration of this written limited warranty. All obligations or liabilities for indirect, incidental or consequential damages are hereby excluded to the extent permitted by law, including economic loss, loss of profit, loss of vehicle, loss of time, inconvenience, personal injury or death. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply. This limited warranty gives the customer legal rights that may vary from state to state. This is the only express warranty applicable to items sold by Best Choice International Trade Co. LTD, and supersedes the terms of any previous warranty. Best Choice International Trade Co. LTD neither assumes nor authorizes anyone to assume for it any other warranty.

Best Choice International Trade Co. LTD